

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	((@ad< "20030530").ad. and (linger same time) and (rout \$6) and (RFID ) and (cart basket) and (location or aisle or shelf or shelves) and (PDA or phone or telephone or cellular) and (supermarket or store)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:12
L3	0	((@ad< "20030530").ad. and (linger and time) and (rout \$6) and (RFID ) and (cart basket) and (location or aisle or shelf or shelves) and (PDA or phone or telephone or cellular) and (supermarket or store)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:12
L4	0	((@ad< "20030530").ad. and (linger\$5 and time) and (rout \$6) and (RFID ) and (cart basket) and (location or aisle or shelf or shelves)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:13
L5	3698	((@ad< "20030530").ad. and (linger\$5 and time)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:13
L6	0	((@ad< "20030530").ad. and (linger\$5 and time) and (rout \$6) and (RFID ) and (cart basket)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L7	0	((@ad< "20030530").ad. and (linger\$5 and time) and (RFID ) and (cart basket)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L8	15	((@ad< "20030314").ad. and (rout\$6 and aisle and (shelf shelves) and cart) and pda and (voice spech vxml) and (inventory inventories)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14

L9	15	((@ad< "20030314").ad. and (route\$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice speech vxml) and (inventory inventories))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L10	5	((@ad< "20030314").ad. and (route\$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice speech vxml) and (inventory inventories) and rfid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:14
L11	1	((@ad< "20030314").ad. and (route\$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice speech vxml) and (inventory inventories) and rfid and recommend	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:15
L12	4	((@ad< "20030314").ad. and (route\$6 and aisle and (shelf shelves) and (basket cart)) and pda and (voice speech vxml) and (inventory inventories) and rfid and (recommend\$ suggest\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:16
L13	4	((@ad< "20030314").ad. and (route\$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice speech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L14	3754	((@ad< "20030530").ad. and (linger\$5 and time) (route\$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice speech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17

L15	0	((@ad< "20030530").ad. and (linger\$5 and time) and (rout\$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L16	1244	((@ad< "20030530").ad. and (linger\$5 same time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:17
L17	644	((@ad< "20030530").ad. and (linger\$5 with time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L18	703	((@ad< "20030530").ad. and (linger\$5 with (duration length time) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L19	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 and aisle and (shelf shelves) and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L20	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 and (basket cart)) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18

L21	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 ) and (pda or cellular or phone or device) and (voice spech vxml) and (inventory product inventories) and rfid and (recommend\$ suggest\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L22	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 ) and (pda or cellular or phone or device) and (inventory product inventories) and rfid and (recommend\$ suggest\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:18
L23	168	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 )	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L24	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 ) and RFID	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L25	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and (rout\$6 ) and RF\$ID	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L26	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and RF\$ID	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L27	0	((@ad< "20030530").ad. and (linger\$5 with (duration length time) ) and RFID	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19
L28	5871	((@ad< "20030530").ad. and RFID	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:19

L29	750	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and rfid and (recommend\$ suggest\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L30	34880	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$ suggest\$5) and (recommend\$6 suggest\$6 advertis\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L31	37856	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$6 suggest\$6 advertis\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:20
L32	34881	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$ suggest\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L33	28415	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$ suggest\$5) and (rout\$6 path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L34	10980	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$ suggest\$5) and (rout\$6 path) same (calculat\$6 show \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:21
L35	10980	((@ad< "20030530").ad. and (RFID or tag) and (pda or cellular or phone or device) and (inventory product inventories) and (recommend \$ suggest\$5) and ((rout\$6 path) same (calculat\$6 show \$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22

L36	4807	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend \$ suggest\$5) and ((rout\$6 path) same (calculat\$6 show \$6)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22
L37	310	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend \$ suggest\$5) and ((rout\$6 path) same (calculat\$6 show \$6))) and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:22
L38	223	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend \$ suggest\$5) and ((rout\$6 path) same (calculat\$6 show \$6))) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L39	373	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and (inventory product inventories) and (recommend \$ suggest\$5) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6))) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L40	445	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and ((inventory product inventories) and (recommend \$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6))) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23
L41	141	((@ad< "20030530").ad. and ((RFID or tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6))) and (RFID same tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:23

L42	137	((@ad<"20030530").ad. and ((RFID with tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:24
L43	111	((@ad<"20030530").ad. and ((RFID with tag) same (pda or cellular or phone or device)) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:24
L44	36	((@ad<"20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:25
L45	6	((@ad<"20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag) and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:26
L46	69	("6129276" "7062454"). urpn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:27

L47	0	((("6129276" "7062454"). urpn. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag) and route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:27
L48	4	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag) and route and voice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:28
L49	0	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag) and route and voice and linger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:36
L52	19	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag)	USPAT	OR	ON	2009/08/02 16:37
L53	36	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat \$6 show\$6)) and (RFID with tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:37



L54	0	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6)) and (RFID with tag) and linger	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:37
L55	0	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6)) and (RFID with tag) and linger	USPAT	OR	ON	2009/08/02 16:37
L56	0	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6)) and (RFID with tag) and linger	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 16:38

## EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L50	0	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6)) and (RFID with tag) and route and voice and linger	USPAT; UPAD	OR	ON	2009/08/02 16:36
L51	20	((@ad< "20030530").ad. and ((RFID with tag) same (pda or cellular or phone or portable )) and ((inventory product inventories) same (recommend\$ suggest\$5 advertis\$9)) and ((rout\$6 direct\$8 path) same (calculat\$6 show\$6)) and (RFID with tag)	USPAT; UPAD	OR	ON	2009/08/02 16:36

**8/ 2/ 2009 4:42:49 PM**

**C:\Documents and Settings\jzurita\My Documents\EAST\Workspaces\10\_743348\_VXML.wsp**